

EVC 35: Tableland Damp Forest

Description:

Tall eucalypt forest to 30 m tall with an understorey dominated by a tall, diverse shrub layer of broad-leaved shrubs and heaths with sometimes a scattering of tree-ferns. The ground layer is dominated by a variety of herbs and graminoids. Occurs on topographically protected south-facing slopes and occasionally in gully heads on northern or western slopes in low relief montane areas.

Large trees:

 Species
 DBH(cm)
 #/ha

 Eucalyptus spp.
 90 cm
 20 / ha

Tree Canopy Cover:

%coverCharacter SpeciesCommon Name40%Eucalyptus croajingolensisGippsland PeppermintEucalyptus dalrympleanaMountain GumEucalyptus denticulataErrinundra Shining Gum

Understorey:

Life form	#Spp	%Cover	LF code
Immature Canopy Tree		5%	IT
Understorey Tree or Large Shrub	3	20%	T
Medium Shrub	7	20%	MS
Small Shrub	2	10%	SS
Large Herb	2	5%	LH
Medium Herb	8	15%	MH
Small or Prostrate Herb	2	15%	SH
Large Tufted Graminoid	1	5%	LTG
Large Non-tufted Graminoid	1	1%	LNG
Medium to Small Tufted Graminoid	3	15%	MTG
Medium to Tiny Non-tufted Graminoid	1	5%	MNG
Ground Fern	2	5%	GF
Scrambler/Climber	1	1%	SC
Bryophytes/Lichens	na	20%	BL



EVC 35: Tableland Damp Forest – East Gippsland Uplands bioregion

LF Code	Species typical of at least part of EVC range	Common Name
T	Telopea oreades	Gippsland Waratah
T	Acacia melanoxylon	Blackwood
MS	Persoonia silvatica	Forest Geebung
MS	Tasmannia xerophila ssp. robusta	Errinundra Pepper
MS	Tasmannia lanceolata	Mountain Pepper
MS	Leucopogon maccraei	Subalpine Beard-heath
SS	Leucopogon hookeri	Mountain Beard-heath
LH	Senecio linearifolius	Fireweed Groundsel
LH	Brachyscome aculeata	Branching Daisy
LH	Drymophila cyanocarpa	Turquoise Berry
MH	Viola hederacea sensu Willis (1972)	Ivy-leaf Violet
MH	Lagenophora stipitata	Common Bottle-daisy
MH	Acaena novae-zelandiae	Bidgee-widgee
MH	Gonocarpus tetragynus	Common Raspwort
SH	Leptinella filicula	Mountain Cotula
SH	Lobelia pedunculata s.l.	Matted Pratia
LTG	Deyeuxia quadriseta	Reed Bent-grass
LNG	Tetrarrhena juncea	Forest Wire-grass
MTG	Dianella tasmanica	Tasman Flax-lily
MTG	Dichelachne rara	Common Plume-grass
MTG	Luzula meridionalis var. flaccida	Common Woodrush
MNG	Microlaena stipoides var. stipoides	Weeping Grass
GF	Pteridium esculentum	Austral Bracken
GF	Polystichum proliferum	Mother Shield-fern
SC	Clematis aristata	Mountain Clematis

Recruitment:

Continuous

Organic Litter:

50 % cover

Logs:

30 m/0.1 ha.

Weediness:

There are no consistent weeds in this EVC.

Published by the Victorian Government Department of Sustainability and Environment December 2004

© The State of Victoria Department of Sustainability and Environment 2004

This publication is copyright. Reproduction and the making available of this material for personal, in-house or non-commercial purposes is authorised, on condition that:

- the copyright owner is acknowledged; no official connection is claimed;
- the material is made available without charge or at cost; and

• the material is not subject to inaccurate, misleading or derogatory treatment.

Requests for permission to reproduce or communicate this material in any way not permitted by this licence (or by the fair dealing provisions of the Copyright Act 1968) should be directed to the Nominated Officer, Copyright, 8 Nicholson Street, East Melbourne, Victoria, 3002.

For more information contact: Customer Service Centre, 136 186

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.